The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-23571

Stream : West Fork White River

Applicant : *Division of Fish and Wildlife

James Kershaw

402 West Washington Street, Room W273

Indianapolis, IN 46204

Description : A paved parking area and aggregate pathway will be constructed to allow small

watercraft to be carried in to the river. The 50' x 100' parking area will consist of a 185 ton, 6" base using #53 crushed stone and a 123 ton, 4" layer of asphalt, with

6" x 6" posts around the perimeter. The 8' wide footpath will extend

approximately 600' from the parking area to the river and will be comprised of 240

tons, 6" base of #53 crushed stone. The footpath will be placed along the northeast property line to reduce the impact on native vegetation. Details of the project are contained in information and plans received at the Division of Water

on October 14, 2005.

Location : Along the east side of Riverwood Avenue, beginning approximately 1200'

northeast of the intersection of 206th Street and Riverwood Avenue, extending

east approximately 300', then southeast 300' to the river

DOWNSTREAM: near Noblesville, Noblesville Township, Hamilton County

SE1/4, Section 16, T 19N, R 5E, Riverwood Quadrangle

Quad Code: 4008518

UTM Coordinates: Downstream 4438005 North, 587790 East

UPSTREAM:

UTM Coordinates: Upstream 4438085 North, 587620 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23572

Stream : Unnamed Tributary Prairie

Ditch

Applicant : Miami County Commissioners

C. Craig Boyer 25 North Broadway Peru, IN 46970-2277

Description : The existing, pre-stressed box beam bridge carrying Lover's Lane over Unnamed

Tributary Prairie Ditch will be replaced with a new culvert. The new culvert will consist of a 6'-1" x 19'3" x 50' corrugated aluminum box culvert. The culvert will have projecting ends and they will have upstream and downstream inverts of 663.77', NGVD and 663.26', NGVD, respectively. The culvert will be skewed 32 degrees to align with streamflow. The structure will have an out-to-out length of 50' and a clear roadway width of 20'. The existing structure will be completely removed. Minor channel shaping will occur both downstream and upstream of the crossing to provide a better flow transition into and out of the culvert system. The shaping will be confined to the construction right-of-way and temporary right of way downstream. The shaped areas will be lined with an 18" thick layer of riprap placed over geotextile fabric. The approach roads will be constructed on fill placed to a maximum height of 1' over the existing roadway elevations. The crown of the roadway over the culverts will be at 672.8', NGVD. Details of the project are contained in plans and information received at the Division of Water

on October 17, 2005.

Location : At the Lover's Lane Road crossing

near Peru, Peru Township, Miami County

SE14, SW14, SW14, Section 15, T 27N, R 4E, Peru Quadrangle

Quad Code: 4008671

UTM Coordinates: Downstream 4514461 North, 578541 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23573

Stream : Little Laughery Creek

Applicant : City of Batesville

Randy Gibbs

132 South Main Street Batesville, IN 47006-1345

Description : Approximately 240' of the streambank will be stabilized with A-Jacks blocks and

Armorloc blocks. Fill will be placed over the blocks to reconform the slope to 1.5:1. Also turf reinforcement mats will be placed on the slope for revegetation. Details of the project are contained in information and plans received at the

Division of Water on October 19, 2005.

Location : along the east bank, beginning approximately 200' extending 900' north of

Underpass Road

DOWNSTREAM: near Batesville, Ray Township, Franklin County NW¼, SE¼, SE¼, Section 24, T 10N, R 11E, Batesville Quadrangle

Quad Code: 3908532

UTM Coordinates: Downstream 4351000 North, 651525 East

UPSTREAM: Franklin County

UTM Coordinates: Upstream 4351200 North, 651575 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23576

Stream : Fall Creek

Applicant : Urban Elite Properties, LP

501 Indiana Avenue

Suite 70

Indianapolis, IN 46202

Description : A commercial facility will be developed along Fall Creek Pkwy. which is on the

north bank of Fall Creek to provide neighborhood retail businesses. The facility consists of two (2) 50' by 112' retail buildings and parking area constructed on redeveloped commercial zoned ground. All work on this site even though partially shown in the floodway is above the base flood elevation according to existing topography. The published base flood elevation does not appear to cross Fall

Creek Pkwy. in this area even though it is mapped to be a part of the

floodway/flood plain. The proposed finished floor elevation will be 714.00 NGVD

(BFE=710.2 approx.). The parking area will be constructed with finished

elevations ranging between 712.3 to 713.1. Details of the project are contained in information received electronically at the Division of Water on October 20, 2005.

Location : Near north bank of Fall creek at the intersection of Central Ave. and Fall Creek

Parkway

near Indianapolis, Center Township, Marion County Section 18, T 16N, R 3E, Indianapolis West Quadrangle

Quad Code: 3908672

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23578

Stream : Wabash River

Applicant : Carroll County Board of Commissioners

Ramzi Awwad

616 East Elizabeth Street Flora, IN 46929-1719

Description

The existing Carroll County Bridge No. 132 (Carrollton Bridge) carrying Carrollton Road over the Wabash River will be rehabilitated on the same alignment to correct substandard geometry and safety features. Work in the floodway will consist of the construction of a temporary work causeway on the immediate east side (upstream) of the bridge. Materials used for the causeway will consist of clean, granular backfill material. The causeway will be constructed in 2 phases entering from the north bank to a distance approx. 250' south and then from the south bank to a distance approx. 250' north. The width at the top of the causeway will be 10' and widening to 32' at the flowline assuming 1:1 slopes. Only one phase of the causeway will be in place at any given time during construction. No bank shaping will occur other than that necessary to construct and access the causeway. Cofferdams will be erected and water pumped from the voids to correct scouring under and around the piers. An approximate area of 43' x 30' around the existing piers will be excavated and replaced with riprap to match the original flowline elevations; therefore, the existing and proposed channel cross sections will be the same. A total of 0.13 acre of the channel will be disturbed for excavation of fill and placement of riprap around the piers. The structure is a 6-span reinforced concrete arch bridge with span lengths of 89'-10", 96'-9", 2 @ 100 ft, 96'-9", 89'-10". The structure will retain an out-to-out length of 575' and the clear roadway width of 20' will be increased to 24'. The spill through abutments will have 2.5:1 sideslopes armored with riprap. The piers are skewed 0 degrees to align with the streamflow. The existing approaches will be retained. The project is federally funded. Details of the project are contained in information received electronically at the Division of Water on October 24, 2005.

Location

: At the Carrollton Bridge (Carroll County Bridge No. 132) carrying Carrollton Road

over the Wabash River

near Delphi, Deer Creek Township, Carroll County

NW1/4, NW1/4, Section 4, T 25N, R 2W, Yeoman Quadrangle

Quad Code: 4008666

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : PL-20290

Lake : Lake Wawasee

Applicant : Keith A Honegger

1036 Highland Park Circle Bluffton, IN 46714-2807

Description : A concrete seawall will be refaced with a layer of concrete across 50' of the

applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on October 18, 2005 and

Location : 9108 East Morrison Island Road

near Syracuse, Turkey Creek Township, Kosciusko County

NW1/4, NW1/4, NW1/4, Section 25, T 34N, R 7E, Lake Wawasee Quadrangle

Quad Code: 4108546

UTM Coordinates: Downstream 4582297 North, 611110 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20291

Lake : Big Long Lake

Applicant : Terry and Nancy Wehrkamp Pamela Kahle

10140 US Highway 127 Paulding, OH 45879-9206

Description : A concrete seawall will be refaced with a layer of concrete across 73' of the

applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on October 18, 2005.

Location : 5955 South 960 East, Lot 4 in Elmwood Park Addition

near Stroh, Milford Township, LaGrange County

SW¼, SW¼, SE¼, Section 22, T 36N, R 11E, Stroh Quadrangle

Quad Code: 4108552

UTM Coordinates: Downstream 4601785 North, 646725 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20292

Lake : Lake Manitou

Applicant : Mike Weiher

12036 Windpoint Pass Carmel, IN 46033-9516

Description : A concrete seawall will be refaced with a layer of concrete across the applicant's

50' frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of

Water on October 18, 2005.

Location : 2922 Country Club Drive East, Lot #18, Bestview Park

near Rochester, Rochester Township, Fulton County

SE14, NE14, Section 15, T 30N, R 3E, Rochester Quadrangle

Quad Code: 4108612

UTM Coordinates: Downstream 4544335 North, 569435 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20293

Lake : Winona Lake

Applicant : Jack Kelley

1111 Country Club Lane

PO Box 1333

Warsaw, IN 46581-1333

Description : A concrete seawall will be constructed across 100' of the applicant's frontage.

The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the

Division of Water on October 19, 2005.

Location : 1111 Country Club Lane

near Warsaw, Wayne Township, Kosciusko County

NW14, NW14, SW14, Section 16, T 32N, R 6E, Warsaw Quadrangle

Quad Code: 4108527

UTM Coordinates: Downstream 4564275 North, 597175 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20294

Lake : Lake Wawasee

Applicant : Andrew Hardie

8039 East Cherokee Road Syracuse, IN 46567-8759

Description : A new seawall will be constructed across 100' of the 100' frontage of the applicant

along a Lake Wawasee channel to deter shoreline erosion. The wall will consist of concrete which will be sloped on the lakeward side. It will be 30" - 40" inches high and will vary uniformly in thickness from 36" to 24" from the base to the top. The lakeward face of the wall will be at the legal shoreline. A 24" wide layer of glacial stone will be placed at the base of the wall for toe protection. Details of the project are contained in information received electronically at the Division of

Water on October 26, 2005

Location : 8039 East Cherokee Road

near Syracuse, Turkey Creek Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11